



## HYDROGEOLOGIC DATABASE Chemical Analysis

[Click HERE to View Information for Well DAX](#)

### Sample Results Color Code Legend

Sample Exceeds None Secondary Primary MCL



Owner Name: **Polnell Heights Com Club**

Well Key: **DAX** Site Type: **Well**

TRS: **32N/02E-03R**

PWS Name: **Polnell Heights Water Association**

DOH PwsID: **68370** DOH Source #: **3**

		Bicarbonate			Conductivity			Hardness			Turbidity					
Source	Date	Alk	As	Ca	Cl	Fe	K	Mg	Mn	Na	NO3	SO4	TDS			
DOH	1/7/2005		< 0.002		62	1040	6.6	550			0.52	36	< 0.2	310	6.9	900

### Select Summary Statistics

Avg As:	0.001	Avg Cl:	62.0	Avg Hardness:	550	Avg NO3:	0.10
Median As:	0.001	Median Cl:	62.0	Median Hardness:	550	Median NO3:	0.1
Max As:	0.001	Max Cl:	62.0	Max Hardness:	550	Max NO3:	0.1

Bacteria Samples (distribution): [262 sample\(s\)](#)

Disclaimer: Data presented has been collected from a variety of sources. Island County makes no guarantee as to the validity or accuracy of this data.  
Please report any errors to the Island County Hydrogeologist.

Generated by the Island County Hydrogeologic Database

1 records printed on 9/18/2019

Note: Items with [blue frames and blue text](#) are clickable hyperlinks to additional information / resources.

Parameter labels with a [red fill color](#) are exhibiting an increasing trend, and those with a [green fill color](#) are exhibiting a decreasing trend.